

Banach J. Math. Anal. 3 (2009), no. 2, 103–108

 ${f B}$ anach  ${f J}$ ournal of  ${f M}$ athematical  ${f A}$ nalysis

ISSN: 1735-8787 (electronic)

http://www.math-analysis.org

## A NOTE ON THE VON NEUMANN ALGEBRA UNDERLYING SOME UNIVERSAL COMPACT QUANTUM GROUPS

## KENNY DE COMMER

Communicated by M. Skeide

ABSTRACT. We show that for  $F \in GL(2,\mathbb{C})$ , the von Neumann algebra associated to the universal compact quantum group  $A_u(F)$  is a free Araki-Woods factor.

RESEARCH ASSISTANT OF THE RESEARCH FOUNDATION - FLANDERS (FWO - VLAANDEREN); DEPARTMENT OF MATHEMATICS, K.U. LEUVEN, CELESTIJNENLAAN 200B, 3001 HEVERLEE, BELGIUM.

E-mail address: kenny.decommer@wis.kuleuven.be

Date: Received: 24 July 2009; Revised: 8 September 2009; Accepted: 18 September 2009. 2000 Mathematics Subject Classification. Primary 46L10; Secondary 46L54, 16W35.

Key words and phrases. von Neumann algebra, free quantum group, free Araki-Woods factor, free probability.