

Banach J. Math. Anal. 4 (2010), no. 1, 13–20

BANACH JOURNAL OF MATHEMATICAL ANALYSIS ISSN: 1735-8787 (electronic) www.emis.de/journals/BJMA/

A GENERALIZED BECKENBACH–DRESHER INEQUALITY AND RELATED RESULTS

SANJA VAROŠANEC¹

In honour of Professor Lars-Erik Persson on the occasion of his 65th birthday

Communicated by J. E. Pečarić

ABSTRACT. After a short expose of the history of the Beckenbach–Dresher inequality, general result and the Aczél type inequality are given and super(sub)additivity of the function $G_{p,q,u}(f,g;A,B) := \frac{A^{\frac{\mu}{p}}(f^p)}{B^{\frac{u-1}{q}}(g^q)}$ is proved. Also, a difference which is inspired by one integral analogue of the Beckenbach–Dresher inequality is considered.

 1 Department of Mathematics, University of Zagreb, 10000 Zagreb, Croatia. $E\text{-mail}\ address: \texttt{varosans@math.hr}$

Date: Received: 30 September 2009; Accepted: 19 December 2009.

The research was supported by the Ministry of Science, Education and Sports of the Republic of Croatia under grant 058-1170889-1050.

²⁰⁰⁰ Mathematics Subject Classification. Primary 26D15; Secondary 39B62.

Key words and phrases. Beckenbach–Dresher inequality, difference, Hölder's inequality, Minkowski's inequality, superadditivity.