

## STARLIKE TREES WITH MAXIMUM DEGREE 4 ARE DETERMINED BY THEIR SIGNLESS LAPLACIAN SPECTRA\*

GHOLAM R. OMIDI $^{\dagger}$  AND EBRAHIM VATANDOOST $^{\ddagger}$ 

**Abstract.** A graph is said to be determined by its signless Laplacian spectrum if there is no other non-isomorphic graph with the same spectrum. In this paper, it is shown that each starlike tree with maximum degree 4 is determined by its signless Laplacian spectrum.

Key words. Starlike trees, Spectra of graphs, Cospectral graphs.

AMS subject classifications. 05C50.

<sup>\*</sup>Received by the editors April 6, 2009. Accepted for publication April 21, 2010. Handling Editor: Richard A. Brualdi.

<sup>&</sup>lt;sup>†</sup>Department of Mathematical Sciences, Isfahan University of Technology, Isfahan, 84156-83111, Iran (romidi@cc.iut.ac.ir). Also School of Mathematics, Institute for Research in Fundamental Sciences (IPM), P.O. Box 19395-5746, Tehran, Iran). The research of this author was in part supported by a grant from IPM (No.88050012).

<sup>&</sup>lt;sup>‡</sup>Department of Mathematics, University of Isfahan, Isfahan, 81746-73441, Iran (e.vatandoost@math.ui.ac.ir). The research of this author was partially supported by the Center of Excellence for Mathematics, University of Isfahan.