

MODELLING KEY MARKET IMPACTS AND LAND ALLOCATION FOR BIOFUEL PRODUCTION AND FORESTRY

A. KOROBENIKOV, P. READ, A. PARSHOTAM, AND J. LERMIT

Received 10 December 2004; Accepted 19 April 2005

It has been suggested that the large scale use of biofuel, that is, fuel derived from biological materials, especially in combination with reforestation of large areas, can lead to a low-cost reduction of atmospheric carbon dioxide levels. In this paper, a model of three markets: fuel, wood products, and land are considered with the aim of evaluating the impact of large scale biofuel production and forestry on these markets, and to estimate the cost of a policy aimed at the reduction of carbon dioxide in the atmosphere. It is shown that the costs are lower than had been previously expected.

Copyright © 2006 A. Korobeinikov et al. This is an open access article distributed under the Creative Commons Attribution License, which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited.

1. Introduction

It has been suggested [8] that large scale biofuel production, especially in combination with sequestration forestry, can achieve a low cost reduction in greenhouse gas levels, in particular CO₂, and hence lead to meeting the ultimate objective of the Kyoto Protocol to the UN framework convention on climate change (UNFCCC). (Here by the term “sequestration” we mean extraction of atmospheric carbon and storing it by growing trees.)

Biofuel (the fuel derived from biological materials) substitutes fossil fuels and thus, through fossil fuels not extracted, prevents release of underground fossil carbon. Biofuel is also a renewable fuel that provides chemically stored energy that can potentially substitute fossil fuel with minimal infrastructural change and may provide a backstop technology until other innovative technologies take a sufficient market role.

Forestry offers a large mitigation potential with modest costs, low risk and other benefits and is one of the few “no regrets” opportunities available in most countries all over the world [4]. The Kyoto Protocol’s Article 3.3 recognises enhancing forest sinks as a mean of meeting the proposed emissions reductions commitments entered into for 2008–2012 by Annex 1 Parties to the UNFCCC. This places forestry alongside biofuel production as a land using activity that can, within the jurisdictions of these Parties, and possibly elsewhere through cooperation with other Parties, be encouraged to achieve the ultimate

2 Modelling market impacts and land allocation

objective of the UNFCCC. It is obvious that such a policy assumes a large-scale intervention in the allocation of land, as well as in the energy market. This leads to questions of the costs and consequences of such a policy.

It is believed that the first attempt to model an impact of policy-specified land-use changes that deals with carbon mitigation, including biofuel production and sequestration forestry together in interacting markets was the FLAMES (fuel/forest/food land allocation model for energy/environment sustainability) model [10, 11]. FLAMES is an equilibrium model of three interacting markets: energy, forest products and land, under large-scale land allocation for biofuel production and sequestration forestry. In this paper, we report further developments and refinements of the model.

2. Model

The main objective of this paper is to model the impact of large scale biofuel production on the world fuel and conventional wood products markets and to estimate the cost of a policy aimed at the reduction of carbon in the atmosphere by means of sequestration forestry and biofuel production. We study the response of three interacting markets—energy, forest products, and land to user-specified allocations of the areas of land for biofuel production and sequestration. We abstract from the detail of markets for fuel and power, and for forest products (with “energy” standing for all fuels and other commercial energy resources and “wood” standing for pulp, roundwood chips and other conventional forest products).

The model comprises three market equations for three price variables: the consumers’ price of biofuel, P , the price of conventional forestry product, s , and the rent on land, r .

The model assumes short term financing, with the net costs of the land allocation policy transferred, on the “polluter pays” principle, directly to energy consumers by the means of a dedicated tax on fossil carbon emitted. The dedicated carbon-tax is equivalent to the absorption obligation proposed in [9].

The prime source of the carbon emission is fossil fuels, and hence it is the subject of the carbon-dedicated tax. Biofuel is not a subject to the tax since use of these does not increase the atmospheric carbon content. That is the consumers’ price of both biofuel and fossil fuel, along with the producers’ price of biofuel, is P .

If a dedicated tax per tonne of fossil carbon emitted is τ , then the consumers’ price P is related to the producers’ price of fossil fuel p via the equation

$$P = p + \tau. \quad (2.1)$$

2.1. Land market. Following [12], we assume that all the available land L is partitioned into five classes: land for conventional use (agriculture, husbandry, etc.), L_c ; existing plantation land (commercial forests, i.e., commercial plantations plus natural forest allocated for timber production), L_p ; land allocated for biofuel production (or “the short-rotation policy land”), L_{short} ; land for sequestration (or “the long-rotation policy land”), L_{long} and land left to wilderness L_{wild} . That is

$$L = L_c + L_p + L_{\text{short}} + L_{\text{long}} + L_{\text{wild}}. \quad (2.2)$$

The area of the available land, L , represents all the land that is either currently in land-based productive use or might be so used. It excludes from the available land area permanently barren land—desert, ice and urban coverage—and most natural forests which are unlikely to be exploited for logging. We assume that the available land L is either constant or slowly decreasing (due to increase of the area of urban coverage) with time t , for example, [12]

$$L(t) = k_1 - k_2 t. \quad (2.3)$$

The land for conventional use, L_c , is a function of time t , and rent r , monotonically increasing with time and decreasing with rent. Following [12], we assume that

$$L_c(t, r) = (k_{15} - k_{16} r)(1 - \alpha \tau)^{k_{17}} \exp(k_L t) \frac{N(t)}{N_0}. \quad (2.4)$$

Rent r increases as the area of the land left to wilderness shrinks, that is, $\partial L_{\text{wild}}/\partial r < 0$. Following [12], we assume that

$$L_{\text{wild}} = \left(\frac{k_{13}}{r} \right)^{k_{14}}, \quad L_p = k_{18} - k_{19} t. \quad (2.5)$$

Here k_i and α are positive parameters, τ is the carbon-dedicated tax, $N(t)$ is the global population at time t and N_0 is the population at beginning of the policy.

An allocation of land for carbon sequestration and biofuel production is policy specified, that is, L_{short} and L_{long} are given functions of time. A way to define land allocation is to specify a planting policy, that is, to define planting programs for long- and short-rotation land.

2.2. Biofuel and wood production. The land areas L_p , L_{long} , and L_{short} produce biomass M_p , M_{long} , and M_{short} , respectively. The land areas L_p and L_{long} are allocated to trees, while the biofuel land L_{short} is used for shorter-rotation plants. If $l_{\text{long}}(t)$ and $l_{\text{short}}(t)$ are planting programs for long- and short-rotation lands L_{long} and L_{short} , and t_{long} and t_{short} are the rotation periods, and d_{long} and d_{short} are the land productivity values, then the biomass harvested annually from these lands is proportional to the areas planted t_{long} or t_{short} years ago, that is

$$\begin{aligned} M_{\text{long}}(t) &= d_{\text{long}} l_{\text{long}}(t - t_{\text{long}}), \\ M_{\text{short}}(t) &= d_{\text{short}} l_{\text{short}}(t - t_{\text{short}}). \end{aligned} \quad (2.6)$$

We assume that a constant portion (say $1/t_p$, where t_p is the rotation period) of the existing plantations L_p is harvested annually. Then the biomass M_p obtained is assumed to be proportional to the harvested area, and to the land productivity d_p ,

$$M_p = \frac{d_p}{t_p} L_p. \quad (2.7)$$

Following [12], we assume that the productivity of forestry, d_p and d_{long} , are constant, whereas, due to technological development the productivity of the biofuel land grows

4 Modelling market impacts and land allocation

with time,

$$d_{\text{short}} = d_0 \left(1 + \frac{2t}{t^*} \right), \quad (2.8)$$

where t^* is the time horizon (here $t^* = 70$ years).

Harvested biomass can be used to produce conventional wood product (timber), of mass W , and bioenergy B . Note that we measure biomass and wood product in units of mass (tonne), while biofuel is measured by its energy contents: one tonne of dry biomass contains k_M units of energy ($k_M \approx 20$ GJ/tonne). Of course, $B_j/k_M + W_j \leq M_j$, where j is p , long, or short.

Let

$$\kappa_j = \frac{B_j}{k_M M_j}, \quad \sigma_j = \frac{W_j}{M_j}, \quad (2.9)$$

that is κ_j and σ_j are fractions of biofuel B_j and timber W_j in the biomass M_j harvested from the land L_j . The fraction of each product depends on the products prices. Following [12], and presuming that the same technological process is applied to trees from lands L_p and L_{long} , we assume that

$$\begin{aligned} \kappa_{\text{short}} &= k_{35} + (k_{35} - 1)\chi, & \kappa_p &= \kappa_{\text{long}} = k_{36} + (k_{36} - 1)\chi, \\ \sigma_{\text{short}} &= (1 - k_{35})(1 + \chi), & \sigma_p &= \sigma_{\text{long}} = (1 - k_{36})(1 + \chi), \end{aligned} \quad (2.10)$$

where

$$\chi = \frac{2}{\pi} \arctan \left(A \frac{s - k_M P}{s_0 - k_M P_0} - B \right). \quad (2.11)$$

Here $A = 2B = 24$ and P_0, s_0 are initial values of P and s , respectively. Initially $\chi \approx 1$ and, with $k_{35} = 0.95$ and $k_{36} = 0.625$, the product split for M_{short} is 90:10 and for mature timber 25:75. (Note that P is price of energy while s is price of biomass; therefore the coefficient k_M appears in the equations.)

2.3. Fuel and timber demand-supply balance. For an market in equilibrium supply equals demand. For the energy market, supply is a sum of nonbiofuel energy, H , and biofuel, B , that is

$$H + B = D. \quad (2.12)$$

Here the demand for energy D is a monotonically decreasing function of consumers price, P ; the supply of nonbiofuel energy H is an increasing function of producers price, p . The supply of the biofuel, B , is composed of the biofuel from the short-rotation land, the biofuel from the long-rotation land, and the commercial forests, that is

$$B = B_{\text{long}} + B_{\text{short}} + B_p, \quad (2.13)$$

where

$$\begin{aligned} B_{\text{long}} &= \kappa_p k_M M_{\text{long}}, & B_p &= \kappa_p k_M M_p, \\ B_{\text{short}} &= \kappa_{\text{short}} k_M M_{\text{short}}. \end{aligned} \quad (2.14)$$

Following [12], we assume that demand shifts with time and is depressed by the macro-economic impact of the dedicated tax, and has underlying constant elasticity structure,

$$\begin{aligned} D(P, t) &= \left(\frac{k_{10}}{P} \right)^{k_{11}} (1 - \alpha\tau)^{k_{12}} \exp(k_B t) \frac{N(t)}{N_0}, \\ H(p, t) &= (k_6 + k_7 p) \exp(k_8 t), \end{aligned} \quad (2.15)$$

where $k_6, k_7, k_8, k_{10}, k_{11}, k_{12}, k_B$, and α are positive parameters.

Fossil fuel energy, H_F , which is primarily responsible for carbon dioxide emission and is a subject to the carbon-dedicated taxes, makes a fraction of the nonbiofuel energy H . Following [12],

$$H_F(p, t) = (k_6 + k_7 p) \exp(k_{21} t), \quad (2.16)$$

where $0 < k_{21} < k_8$ represent the decarbonisation of nonbiofuel energy due to technological progress.

For the timber market the wood product supply W is a sum of the long-rotation land wood product, $W_{\text{long}} = \sigma_p M_{\text{long}}$, the commercial forestry product, $W_p = \sigma_p M_p$, and the short-rotation land wood product, $W_{\text{short}} = \sigma_p M_p$. In equilibrium, supply meets demand, that is

$$W_p + W_{\text{long}} + W_{\text{short}} = D_W. \quad (2.17)$$

The demand for timber D_W decreases with the product price s and grows with time t . Following [12],

$$D_W(s, t) = \left(\frac{k_{31}}{s} \right)^{k_{32}} (1 - \alpha\tau)^{k_{33}} \exp(k_W t) \frac{N(t)}{N_0}, \quad (2.18)$$

where $k_{31}, k_{32}, k_{33}, k_W$ are positive parameters.

2.4. Policy cost. In equilibrium, the total revenue meets the cost of policy. The total revenue is composed of the revenue from the biofuel sales,

$$U_B = P(B_{\text{long}} + B_{\text{short}}), \quad (2.19)$$

the revenue from the wood product sales,

$$U_W = s(W_{\text{long}} + W_{\text{short}}), \quad (2.20)$$

and the revenue from the tax on the carbon emitted,

$$T = \tau H_F. \quad (2.21)$$

6 Modelling market impacts and land allocation

The revenue from the biofuel and the timber from the commercial plantations L_p are not included since these accrue with existing commercial operators. The policy costs, Q , is a sum of the total rent, $R = r(L_{\text{long}} + L_{\text{short}})$, the establishment costs proportional to the areas sown, $\hat{q}_{\text{short}}l_{\text{short}}(t) + \hat{q}_{\text{long}}l_{\text{long}}(t)$, annual costs of maintenance proportional to the land area, $q_{\text{short}}L_{\text{short}} + q_{\text{long}}L_{\text{long}}$, and the costs of harvesting assumed to be proportional to biomass harvested from the corresponding area, $\tilde{q}_{\text{short}}M_{\text{short}} + \tilde{q}_{\text{long}}M_{\text{long}}$. Hence, in equilibrium

$$P(B_{\text{long}} + B_{\text{short}}) + s(W_{\text{long}} + W_{\text{short}}) + \tau H_F = Q, \quad (2.22)$$

where

$$Q = r(L_{\text{long}} + L_{\text{short}}) + \hat{q}_{\text{short}}l_{\text{short}} + \hat{q}_{\text{long}}l_{\text{long}} + q_{\text{short}}L_{\text{short}} + q_{\text{long}}L_{\text{long}} + \tilde{q}_{\text{short}}M_{\text{short}} + \tilde{q}_{\text{long}}M_{\text{long}} \quad (2.23)$$

and \hat{q}_{short} , \hat{q}_{long} , \tilde{q}_{short} , \tilde{q}_{long} , q_{short} , and q_{long} are positive constants.

The costs-revenue balance for the commercially-used lands L_p , is

$$R_p + Q_p + \hat{Q}_p + \tilde{Q}_p = PB_p + sW_p. \quad (2.24)$$

It is not included in the model.

2.5. The dynamic model. To introduce dynamics into the model we assume, following Morishima [7], that the product prices rise in response to excess demand in a market. We have a system of three markets in interaction: the energy market, the timber market and the land market. Thus, we obtain an equation

$$a_p \frac{dP}{dt} = D - H - B \quad (2.25)$$

for the energy market, an equation

$$a_s \frac{ds}{dt} = D_W - W \quad (2.26)$$

for the timber market, and an equation

$$a_r \frac{dr}{dt} = L_p + L_{\text{short}} + L_{\text{long}} + L_{\text{wild}} + L_c - L \quad (2.27)$$

for the land market. Here a_p , a_s , a_b are positive constants which are proportional to the corresponding time-scale and inversely proportional to the speeds of response.

Similarly, we assume that the carbon tax τ rises if “demand”—the policy cost—exceeds “supply”—the revenue from biofuel and timber sales and the tax revenue,

$$a_\tau \frac{d\tau}{dt} = Q - P(B_{\text{long}} + B_{\text{short}}) - s(W_{\text{long}} + W_{\text{short}}) - \tau H_F. \quad (2.28)$$

Here a_τ are positive constants which are proportional to the corresponding time-scale and inversely proportional to the speeds of response.

The system (2.25)–(2.28) should be solved simultaneously with the atmospheric carbon balance equation. The total atmospheric carbon, C , increases with burning of the fuel supplied, and decreases due to absorption of the carbon by ocean and terrestrial ecosystem, the short-rotation land, the long-rotation land, and the old plantations. We assume that emission of the carbon due to biofuel use from the short-rotation land equals absorption of the atmospheric carbon for biofuel growth. Then

$$\frac{dC}{dt} = \beta_H H_F + \beta_B (B_{\text{long}} + B_p) - \beta_W W_{\text{short}} - \beta_p (L_p + L_{\text{long}}) - O_{\text{ocean}}, \quad (2.29)$$

where β_H , β_B , and β_W are the carbon content of the fossil fuel, the biofuel and the wood product respectively; $\beta_p = \beta_{\text{long}}$ is the rate of the atmospheric carbon absorption by long-rotation and old plantation land; O_{ocean} is the rate of atmospheric carbon absorption by the ocean. We assume [12] that

$$O_{\text{ocean}} = \beta_O (C - C_{\text{cr}}), \quad (2.30)$$

where β_O is the first-order rate coefficient of carbon absorption by the ocean, with $C_{\text{cr}} = 560$.

3. Results

Following [10–12], let us consider market responses under three scenarios:

- (a) no policy;
- (b) allocation of land for biofuel production only;
- (c) allocation of land for biofuel production and for sequestration forestry.


Under the third scenario, sequestration is not treated as permanent, as in previous studies (e.g., [6]), but as a several decades low cost “buffer stock” of carbon, to be utilised as wood and biofuel at a time when demand for this raw material has developed. This keeps open the precautionary option of 100 per cent use of this stock as biofuel in the event science reveals a low threshold for adverse climate surprises [1, 13].

Land allocations for these three scenarios are given by Figure 3.1.


We will assume that the policy is applied for 70 years, so that a time horizon of 70 years has been used in all work to date. This period broadly represents twice the rotation period for forestry, as well as twice the turnover period for the long-lived energy sector capital stock. The former is convenient for modelling but the latter is more significant because the energy-sector technological inertia is related to heavy sunk costs with the main obstacle to a rapidly effective response strategy that stabilises, or reduces current greenhouse gas levels through change in the energy sector alone.

The 70-years time horizon is preferred to the 100-years time horizon used by some analysts [5] because a longer horizon, with three generations of capital re-equipment, enables technological change in developed countries to be delayed [2], in such a manner that fails to provide the lead-time expected by developing countries.


8 Modelling market impacts and land allocation



(a)



(b)



(c)

Figure 3.1. Land allocation for the three scenarios: (a) no policy land, (b) allocation of land for bio-fuel, and (c) allocation of land for biofuel and sequestration forestry.




Figure 3.2. Global population forecast: the United Nations official forecast (solid line) and its approximation by the polynomial (3.1) (broken line).

The global population $N(t)$ is approximated by a fifth order polynomial

$$N(t) = \sum_{j=1}^6 c_j t^{6-j}, \quad (3.1)$$

where $c_1 = 4.1067 \times 10^{-4}$, $c_2 = -2.1186 \times 10^{-1}$, $c_3 = 3.6331 \times 10^1$, $c_4 = -2.2723 \times 10^3$, $c_5 = 9.5760 \times 10^4$, and $c_6 = 5.4219 \times 10^4$, which fits with good accuracy the United Nations official population dynamics forecast (medium variant) on the time interval from 1950 to 2050 [16] and United Nations population estimates for 2050 to 2100 (see Figure 3.2).

Figure 3.3 represent the corresponding market responses for the three scenarios. The change of atmospheric carbon contents for the scenario is given by Figure 3.4. As demonstrated by Figure 3.4, allocating large areas of land to two activities—a long-term buffer stock of carbon sequestered from the atmosphere and short-rotation biofuel production—has a very substantial beneficial impact on the timing and quantum of greenhouse gas level reductions. With both biofuel production and buffer stock sequestration comparatively low, carbon-dedicated tax is required for up to 35 years to meet the cost of creating the buffer stock. After 35 years the dedicated tax is zero and the policy actually brings a profit. After 35 years, energy prices are also reduced on account of additional biofuel supply from the desequestration process. The results indicate that an integrated forestry-based strategy, in which land in first used for buffer stock sequestration and subsequently converted to biofuel production may offer the prospect of controlling greenhouse gases levels more effectively and at lower cost than has previously been shown to be practical [10, 11].

4. Conclusion

An objective of this work was to substantiate the view advanced in [9] and corroborated by others [4], that a land allocation policy with the aim of biofuel production and sequestration forestry can play a major role in controlling carbon dioxide levels. Another

10 Modelling market impacts and land allocation




Figure 3.3. The consumers' and producers' prices of energy and tax (\$/GJ), rent ($10 \times$ \$/Ha) and price of wood products ($100 \times$ \$/t) for the three scenarios, respectively.




Figure 3.4. Atmospheric carbon contents for the three scenarios.

objective was to investigate the market impacts of such land allocation policies with a view to quantifying these effects, identifying gains and losses and suggesting policy options that can lead market outcomes towards the least cost for safe levels of carbon dioxide concentrations in the atmosphere.

In relation to the first objective, it is shown that if sufficient land is used, the impact on carbon dioxide levels of policy driven land allocations is such as has not been regarded as practicable under alternative policies [3, 14, 15]. The model demonstrated, on a global basis, that large scale allocation of land to the growing of trees, either on long rotation, for traditional forest products or on short rotation for biofuel, can achieve low cost reductions in carbon dioxide levels that are otherwise not feasible.

Despite the obvious relevance of these results to policy, they are not sufficient to be applied to policy issues since the model is global while policy is determined at national levels. A subsequent paper outlines the development of a multi-regional model with inter-regional trade flows that capable of establishing world prices for fossil fuel, biofuel and woody raw materials. The world prices would enable models for individual countries to be developed, and establish whether the country will export or import these products.

Given the geo-political aspects of policy, a model which treats the globe as a whole can provide little insight. This aspect is reinforced by the fact that UNFCCC Annex 1 countries are mainly located in higher latitudes with temperate climates and moderate to poor growing conditions. Together with oil producing countries, they have greater sunk costs in the energy sector and lower growth prospects than developing economies. Thus a regionalized model that reflects these broad differences is needed before the market impacts can be modelled satisfactorily. Such a model, distinguishing a low energy cost, low photosynthetic productivity, high income and reducing growth region from a contrasting developing region, is a research priority.

References

- [1] N. Greene, F. E. Celik, B. Dale, M. Jackson, K. Jayawardhana, H. Jin, E. D. Larson, M. Laser, L. Lynd, D. MacKenzie, J. Mark, J. McBride, S. McLaughlin, and D. Saccardi, *Growing Energy. How*

12 Modelling market impacts and land allocation

- Biofuels Can Help End America's Oil Dependence*, Natural Resources Defense Council, New York, 2004.
- [2] M. Grubb, *The Berlin Climate Conference: Outcome and Implications*, Briefing Paper no. 21, RIIA, Chatham House, London, 1995.
- [3] ———, *Technologies, energy systems and the timing of CO₂ emissions abatement*, *Energy Policy* **25** (1997), no. 2, 159–172.
- [4] G. H. Kohlmaier, R. A. Houghton, and M. Weber (eds.), *Carbon Dioxide Mitigation in Forestry and Wood Industry*, Springer, Berlin, 1997.
- [5] A. S. Manne and R. G. Richels, *Buying Greenhouse Insurance: The Economic Costs of Carbon Dioxide Emission Limits*, MIT Press, Massachusetts, 1992.
- [6] G. Marland, *The prospect of solving the CO₂ problem through global reforestation*, Tech. Rep. DOE/NBB-0082, National Technical Information Service, Virginia, 1988.
- [7] M. Morishima, *A reconsideration of the Walras-Cassel-Leontief model of general equilibrium*, *Mathematical Methods in the Social Sciences*, 1959 (K. J. Arrow, S. Karlin, and P. Suppes, eds.), Stanford University Press, California, 1960, pp. 63–76.
- [8] P. Read, *The political economy of a biomass energy response to global warming*, *International Journal of Global Energy Issues* **4** (1992), no. 4, 275.
- [9] ———, *Responding to Global Warming: The Technology, Economics and Politics of Sustainable Energy*, Zed Books, London, 1994.
- [10] ———, *Food, fuel, fibre and faces to feed. Simulation studies of land use change for sustainable development in the 21st century*, *Ecological Economics* **23** (1997), no. 2, 81–93.
- [11] ———, *Dynamic interaction of short rotations and conventional forestry in meeting demand for bioenergy in the least cost mitigation strategy*, *Biomass and Bioenergy* **15** (1998), no. 1, 7–15.
- [12] ———, *The Role of Biomass in Meeting Greenhouse Gas Reduction Targets: Land Allocation Modelling of Key Market Impacts*, Massey University, Palmerston North, 1999.
- [13] P. Read and J. Lermitt, *Bio-energy with carbon storage (BECS): a sequential decision approach to the threat of abrupt climate change*, *Energy* **30** (2005), no. 14, 2654–2671.
- [14] S. H. Schneider and L. H. Goulder, *Achieving low-cost emissions targets*, *Nature* **389** (1997), no. 6646, 13–14.
- [15] R. T. Watson (ed.), *Climate Change 2001: Synthesis Report. Contribution of Working Groups I, II, and III to the Third Assessment Report of the Intergovernmental Panel on Climate Change*, Cambridge University Press, Cambridge, 2001.
- [16] *World Population 1950–2050 (Medium Variant)*, Population Division of the Department of Economic and Social Affairs of the United Nations Secretariat, *World Population Prospects: The 2004 Revision and World Urbanization Prospects: The 2003 Revision*, 2004 <http://esa.un.org/unpp>.

A. Korobeinikov: Research Institute for Electronic Sciences, Hokkaido University, Sapporo 060-0821, Japan

P. Read: Department of Applied and International Economics, Massey University, Palmerston North, New Zealand

A. Parshotam: Department of Mathematics, Institute of Fundamental Sciences, Massey University, Palmerston North, New Zealand
E-mail address: a.parshotam@massey.ac.nz

J. Lermitt: Energy Consultant, 2/109 Hill Street, Thorndon, Wellington, New Zealand

Special Issue on Time-Dependent Billiards

Call for Papers

This subject has been extensively studied in the past years for one-, two-, and three-dimensional space. Additionally, such dynamical systems can exhibit a very important and still unexplained phenomenon, called as the Fermi acceleration phenomenon. Basically, the phenomenon of Fermi acceleration (FA) is a process in which a classical particle can acquire unbounded energy from collisions with a heavy moving wall. This phenomenon was originally proposed by Enrico Fermi in 1949 as a possible explanation of the origin of the large energies of the cosmic particles. His original model was then modified and considered under different approaches and using many versions. Moreover, applications of FA have been of a large broad interest in many different fields of science including plasma physics, astrophysics, atomic physics, optics, and time-dependent billiard problems and they are useful for controlling chaos in Engineering and dynamical systems exhibiting chaos (both conservative and dissipative chaos).

We intend to publish in this special issue papers reporting research on time-dependent billiards. The topic includes both conservative and dissipative dynamics. Papers discussing dynamical properties, statistical and mathematical results, stability investigation of the phase space structure, the phenomenon of Fermi acceleration, conditions for having suppression of Fermi acceleration, and computational and numerical methods for exploring these structures and applications are welcome.

To be acceptable for publication in the special issue of Mathematical Problems in Engineering, papers must make significant, original, and correct contributions to one or more of the topics above mentioned. Mathematical papers regarding the topics above are also welcome.

Authors should follow the Mathematical Problems in Engineering manuscript format described at <http://www.hindawi.com/journals/mpe/>. Prospective authors should submit an electronic copy of their complete manuscript through the journal Manuscript Tracking System at <http://mts.hindawi.com/> according to the following timetable:

Manuscript Due	March 1, 2009
First Round of Reviews	June 1, 2009
Publication Date	September 1, 2009

Guest Editors

Edson Denis Leonel, Department of Statistics, Applied Mathematics and Computing, Institute of Geosciences and Exact Sciences, State University of São Paulo at Rio Claro, Avenida 24A, 1515 Bela Vista, 13506-700 Rio Claro, SP, Brazil; edleonel@rc.unesp.br

Alexander Loskutov, Physics Faculty, Moscow State University, Vorob'evy Gory, Moscow 119992, Russia; loskutov@chaos.phys.msu.ru